

Nr.p.k.	Parauga Nr.	Dzījums,m	W %	W ₁ %	W ₂ %	l _p	l _t	ρ _a g/cm3	ρ g/cm3	ρ ₀ g/cm3	n %	e	Sr	Vieta	gads	nisko vielu saturs, %	10	5	2	1	0,5	0,25	0,1	0,05	0,01	0,005	<0.005	E	tg φ	φ	c	slodze	CaCo3
1	801957-5-7	2.0-2.2	10,6	14,7	9,0	5,7	0,28	2,68	2,27	2,05	23,5	0,307	0,925	Saldus, otreizejas izejvielu pārstrādes rūpnīca	2005																		
2	801957-8-23	2.0-2.2	12,7	17,2	13,0	4,1	-0,10	2,68	2,14	1,90	29,1	0,411	0,828	Saldus	2005																		
3	801901-1-14	23.2-23.4	9,1	16,1	9,7	6,4	-0,09	2,68	2,26	2,07	22,8	0,295	0,827	Rīga, lidosta Rīga ziemeļu termināls	2005																		
4	801901-1-15	23.9-24.1	9,6	14,4	9,0	5,4	0,11	2,68	2,28	2,08	22,4	0,288	0,893	Rīga, lidosta Rīga ziemeļu termināls	2005																		
5	801901-1-16	24.1-24.25	9,9	15,5	9,2	6,3	0,11	2,68	2,22	2,02	24,6	0,327	0,811	Rīga, lidosta Rīga ziemeļu termināls	2005																		
6	801396-4	15.3-15.4	17,7	26,1	17,5	8,6	0,02	2,70	2,05	1,74	35,6	0,552	0,866	Vecrīga	2003																		
7	801396-8-1	0.20	53,2	45,9	29,3	16,6	1,44	2,57	1,44	1,374	57,9	0,989	0,999	Rīga, Vīlandes iela	2003	8,5																	
8	801396-1-2	0.20	35,5	31,2	25,8	5,4	1,80	2,57	1,80	1,33	46,2	0,932	0,979	Rīga, Vīlandes iela	2003	5,2																	
9	801598-1-29	3.0-3.1	13,3	15,2	9,6	5,6	0,66	2,68	2,24	1,98	26,1	0,354	0,984	Cēsis, piebalgas iela 14	2004																		
10	801598-2-6	2.5-2.6	13,4	15,2	10,0	5,2	0,65	2,68	2,22	1,96	26,9	0,367	0,978	Cēsis, piebalgas iela 14	2004																		
11	801598-4-16	2.7-2.8	13,0	13,8	9,6	4,2	0,60	2,68	2,24	1,98	26,1	0,354	0,984	Cēsis, piebalgas iela 14	2004																		
12	801514-2-2a	2,00	82,4	85,0	59,2	25,8	0,90	2,57	1,43	0,78	69,6	2,259	0,923	Rīga, Skanstes iela 33	2003	6,2																	
13	801514-2-7a	7,5	83,2	84,3	52,9	31,4	0,96	2,57	1,45	0,79	69,3	2,253	0,949	Rīga, Skanstes iela 33	2003	6,2																	
14	801514-1-26a	6,0	76,6	79,8	62,4	17,4	0,82	2,57	1,44	0,82	68,0	2,134	0,923	Rīga, Skanstes iela 33	2003	6,5																	
15	801514-1-27a	8,0	89,7	91,8	59,1	32,7	0,94	2,57	1,42	0,75	70,8	2,427	0,950	Rīga, Skanstes iela 33	2003	6,1																	
16	801514-1-27b	9,0	62,3	70,8	46,1	24,7	0,66	2,59	1,53	0,94	63,7	1,755	0,919	Rīga, Skanstes iela 33	2003	4,2																	
17	801602-2-10a	2.4-2.5	14,8	17,7	10,3	7,4	0,61	2,69	2,13	1,81	32,7	0,486	0,963	Zebrene, Dobeles raj	2004																		
18	801602-3-5	1.6-1.7	18,0	27,2	16,2	11,0	0,16	2,71	2,09	1,77	34,7	0,531	0,919	Zebrene, Dobeles raj	2004																		
19	801602-2-9a	2.3-2.4	18,4	22,3	13,0	9,3	0,58	2,70	2,12	1,79	33,7	0,508	0,980	Zebrene, Dobeles raj	2004																		
20	802476-2-M12	19.5-19.7	29,5	35,5	26,8	8,7	0,31	2,70	1,92	1,48	45,1	0,824	0,967	Lucavsala, Rīga	2007																		
21	802476-2-M14	21.7-21.9	20,4	31,0	21,4	9,6	-0,10	2,70	1,85	1,54	43,0	0,753	0,731	Lucavsala, Rīga	2007																		
22	802476-2-M15	26.0-26.2	27,0	33,9	26,0	7,9	0,13	2,69	1,89	1,49	44,6	0,805	0,902	Lucavsala, Rīga	2007																		
23	803017-1-1	0.2-0.3	12,5	22,7	15,1	7,6	-0,34	2,69	2,06	1,83	32,0	0,470	0,715	Skulte, osta	2008																		
24	803017-1-2	0.4-0.5	9,5	20,1	11,1	9,0	-0,18	2,70	2,18	1,99	26,3	0,357	0,718	Skulte, osta	2008																		
25	803017-1-3	0.5-0.6	8,6	20,6	11,9	8,7	-0,38	2,70	2,22	2,04	24,4	0,324	0,717	Skulte, osta	2008																		
26	803017-1-4	0.9-1.0	9,3	22,3	11,0	11,3	-0,15	2,71	2,20	2,01	28,8	0,348	0,724	Skulte, osta	2008																		
27	803017-2-1	0.3-0.4	8,9	21,6	11,2	10,4	-0,22	2,70	2,20	2,02	25,2	0,337	0,713	Skulte, osta	2008																		
28	803017-2-2	0.4-0.5	10,7	24,1	10,7	13,4	0,00	2,71	2,20	1,99	26,6	0,362	0,801	Skulte, osta	2008																		
29	803017-2-3	0.5-0.6	9,5	22,2	12,0	10,2	-0,25	2,70	2,25	2,05	24,1	0,317	0,809	Skulte, osta	2008																		
30	803017-2-4	0.65-0.8	9,3	22,1	13,1	9,0	-0,42	2,70	2,11	1,93	28,5	0,400	0,628	Skulte, osta	2008																		
31	802598-1-10	21.6-22.0	17,6	21,5	14,2	7,3	0,47	2,69	2,13	1,81	32,7	0,486	0,974	Rīga, Birznieka Upīša iela 17a	2007																		
32	802598-2-18	20.0-20.5	13,1	19,6	14,0	5,6	-0,16	2,68	2,15	1,90	29,1	0,411	0,854	Rīga, Birznieka Upīša iela 17a	2007																		
33	802598-1-6	18.0-18.3	22,2	29,8	20,2	9,6	0,21	2,70	2,04	1,65	38,8	0,636	0,942	Rīga, Birznieka Upīša iela 17a	2007																		
34	802858-17-71m	1.5-1.9	10,4	14,8	9,2	5,6	0,21	2,68	2,23	2,02	24,6	0,327	0,852	Robežkontroles punkts "Vientuli"	2008																		
35	802858-1-1	1.5-1.8	24,9	37,2	21,5	15,7	0,22	2,72	2,02	1,62	40,4	0,679	0,997	Robežkontroles punkts "Vientuli"	2008																		
36	802858-17-72m	2.2-2.4	11,1	15,8	8,5	7,3	0,36	2,69	2,21	1,99	26,0	0,352	0,848	Robežkontroles punkts "Vientuli"	2008																		
37	802858-15-105m	4.8-5.0	12,5	17,6	8,1	9,5	0,46	2,70	2,22	1,97	27,0	0,371	0,910	Robežkontroles punkts "Vientuli"	2008																		
38	802858-8-79m	3.4-3.5	11,5	16,6	10,1	6,5	0,22	2,67	2,23	2,00	25,1	0,335	0,917	Robežkontroles punkts "Vientuli"	2008																		
39	802858-15-104m	4.4-4.8	13,2	17,0	9,4	7,6	0,38	2,69	2,26	2,00	25,7	0,345	0,969	Robežkontroles punkts "Vientuli"	2008																		
40	802561-5-5	14.3-14.6	19,0	26,7	20,0	9,7	-0,10	2,70	2,11	1,77	34,4	0,525	0,977	Rīga, Anninmuižas bulvaris	2007																		
41	802561-8-5	17.0-17.3	28,1	38,5	26,3	12,2	0,15	2,71	1,94	1,51	44,3	0,795	0,958	Rīga, Anninmuižas bulvaris	2007																		
42	802561-10-7	19.4-19.7	25,0	46,0	30,1	15,9	-0,32	2,72	1,99	1,59	41,5	0,711	0,956	Rīga, Anninmuižas bulvaris	2007																		
43	802561-11-7	19.0-19.3	30,0	33,9	20,0	13,9	0,72	2,72	1,94	1,49	45,2	0,826	0,988	Rīga, Anninmuižas bulvaris	2007																		
44	802561-12-7	18.6-18.9	26,0	33,7	24,0	9,7	0,21	2,70	1,98	1,57	41,9	0,720	0,975	Rīga, Anninmuižas bulvaris	2007																		
45	802561-1-6	18.4-18.7	16,6	21,4	12,7	8,7	0,45	2,70	2,16	1,85	31,5	0,459	0,976	Rīga, Anninmuižas bulvaris	2007																		
46	802561-10-6	17.2-17.5	26,9	32,2	21,0	11,2	0,53	2,71	1,96	1,54	43,2	0,760	0,959	Rīga, Anninmuižas bulvaris	2007																		
47	802561-11-6	16.5-16.8	20,0	28,7	18,0	10,7	0,19	2,71	2,07	1,73	36,2	0,566	0,958	Rīga, Anninmuižas bulvaris	2007																		
48	802770-1-1	17.0-17.30	23,1	27,7	15,9	11,8	0,61	2,71	2,07	1,68	38,0	0,633	0,989	Rīga, Akmeņu iela 14	2007																		
49	802770-1-2	18.7-19.0	18,8	24,3	16,8	7,5	0,27	2,69	2,07	1,74	35,3	0,546	0,926	Rīga, Akmeņu iela 14	2007																		
50	802770-1-4	20.7-20.9	35,7	49,6	32,3	17,3	0,20	2,73	1,86	1,37	49,8	0,993	0,981	Rīga, Akmeņu iela 14	2007																		
51	802411-5-12	17.6-17.8	11,6	19,1	12,2	6,9	-0,09	2,68	2,22	1,99	25,7	0,347	0,896	Rīga, laukums Ulbrokas ielā	2006																		
52	802411-5-13	19.3-19.4	12,2	31,7	13,7	18,0	-0,08	2,73	2,02	1,80	34,1	0,517	0,644	Rīga, laukums Ulbrokas ielā	2006																		
53	802411-4-65	19,5	11,0	26,7	16,1	10,6</																											

[illegible]

[illegible]

2047-24-57	6.0-6.1	12.0	16.9	11.1	5.8	0.16	2.68	2.20	1.96	26.80	0.367	0.875	Dobeļe, labības klēts (katlu māja)	1972			0.8	2.6	2.6	3.2	8	24.4	18.8	10.8	6.4	22.4	0.4	21'49"	0.250	1.0-0.650;3.0-1.450		
372 2047-24-61	9.3-9.4	11.7	20.8	11.9	8.9	-0.02	2.69	2.19	1.96	27.10	0.372	0.845	Dobeļe, labības klēts (katlu māja)	1972			0.6	1	1.2	4.2	15	13	23.4	8	33.6	0.437	23'32"	0.313	1.0-0.750;3.0-1.625			
373 2047-38-107	2.3-2.4	10.4	17.0	11.0	6.0	-0.10	2.68	2.18	1.97	26.40	0.360	0.773	Dobeļe, labības klēts (katlu māja)	1972		1.4	3.6	2	2.4	6.4	28.2	15	12.2	8	20.8	0.45	24'12"	0.275	1.0-0.725;3.0-1.625			
374 2047-38-110		9.6	16.9	11.0	5.9	-0.24	2.68	2.23	2.03	24.20	0.320	0.804	Dobeļe, labības klēts (katlu māja)	1972			2.6	2.6	2.6	8	23.4	19	11.4	8	22.4	0.462	24'50"	0.263	1.0-0.725;3.0-1.650			
375 2047-38-111	6.4-6.6	10.8	17.2	11.1	6.1	-0.05	2.68	2.20	1.98	26.10	0.354	0.819	Dobeļe, labības klēts (katlu māja)	1972		3.2	1.2	4.4	2	2.4	5.8	27	15.8	9.4	8	20.8	0.412	22'23"	0.263	1.0-0.675;3.0-1.500		
376 894-9-11	1.05-1.15	12.1	19.8	11.6	8.2	0.06	2.71	2.00	1.79	33.90	0.514	0.638	Dobeļe, rūpnīca "Spodriņa"	1966													0.5	26'32"	0.150	1.0-0.650;2.0-1.150;3.0-1.650		
377 894-9-12	1.45-1.55	10.9	17.1	9.9	7.2	0.14	2.70	2.15	1.94	28.20	0.392	0.751	Dobeļe, rūpnīca "Spodriņa"	1966													0.5	26'32"	0.125	1.0-0.625;2.0-1.125;3.0-1.625		
378 894-9-13	2.35-2.45	10.6	16.0	10.2	5.8	0.07	2.70	2.18	1.97	27.00	0.371	0.772	Dobeļe, rūpnīca "Spodriņa"	1966								53.2				24	0.537	28'12"	0.100	1.0-0.637;2.0-1.174;3.0-1.711		
379 894-9-14	2.35-2.45	10.6	16.0	10.5	5.5	0.02	2.70	2.17	1.96	27.30	0.378	0.758	Dobeļe, rūpnīca "Spodriņa"	1966													0.538	28'20"	0.108	1.0-0.646;2.0-1.184;3.0-1.722		
380 1220-16a-32	1.1-1.2	12.1	18.7	10.2	8.5	0.22	2.69	2.21	1.97	26.80	0.365	0.891	Dobeļe, attīrīšanas iekārtas	1967													0.412	22'25"	0.213	1.0-0.625;3.0-1.450		
381 1220-16a-33	1.2-1.3	12.3	18.9	10.4	8.5	0.22	2.69	2.17	1.94	27.90	0.387	0.856	Dobeļe, attīrīšanas iekārtas	1967													0.4	21'49"	0.200	1.0-0.600;3.0-1.400		
382 1220-16a-35	1.6-1.7	11.7	19.0	10.0	9.0	0.19	2.69	2.18	1.95	27.50	0.379	0.829	Dobeļe, attīrīšanas iekārtas	1967													0.425	23'00"	0.200	1.0-0.625;3.0-1.475		
383 1220-16a-34	1.5-1.6	11.8	18.8	10.3	8.5	0.18	2.69	2.23	2.00	25.70	0.345	0.920	Dobeļe, attīrīšanas iekārtas	1967													0.412	22'25"	0.238	1.0-0.650;3.0-1.475		
384 692-8-2	1.48-1.58	11.6	18.6	12.5	6.1	-0.15	2.68	2.20	1.97	26.50	0.360	0.863	Dobeļe, kombikorma	1965			6	2.8	2.8	9.2	22	16	22	6.4	12.8							
385 692-8-3	2.0-2.10	11.2	18.5	12.5	6.0	-0.22	2.68	2.19	1.97	26.50	0.360	0.833	Dobeļe, kombikorma	1965			4	2.8	2.8	9.2	23.2	16.4	22.4	4.8	14.4							
386 692-15-32	1.5-1.6	11.5	19.2	13.2	6.0	-0.28	2.68	2.21	1.98	26.10	0.354	0.872	Dobeļe, kombikorma	1965			4.8	3.2	2.6	8.4	22.4	16.8	24.4	4.8	12.6							
387 692-15-31	2.0-2.10	12.4	18.9	12.8	6.1	-0.07	2.68	2.25	2.00	25.40	0.340	0.977	Dobeļe, kombikorma	1965			3.2	3.6		3.2	9.6	24	16.4	24	3.2	12.8						
388 1449-37-4r	1.80-1.90	20.9	18.4	13.6	4.8	1.52	2.68	1.99	1.65	38.60	0.624	0.897	Krāslava, piena pulvera rūpnīca	1967						0.2	1.4	10.8	19.2	55.6	4.8	8		0.5	26'25"	0.150	1.0-0.650;3.0-1.750	
389 1449-44-7r	1.10-1.20	16.4	18.3	14.1	4.2	0.55	2.67	1.87	1.61	39.60	0.658	0.665	Krāslava, piena pulvera rūpnīca	1967							0.4	3.2	20.8	62.8	4.8	8		0.52	27'20"	0.080	1.0-0.600;3.0-1.640	
390 1449-44-8r	1.10-1.20	17.3	17.4	13.2	4.2	0.98	2.68	1.97	1.68	37.40	0.595	0.759	Krāslava, piena pulvera rūpnīca	1967						0.2	0.5	9.2	21.3	57.6	4.8	6.4		0.469	25'05"	0.149	1.0-0.612;3.0-1.550	
391 1449-44-9r	2.3-2.4	23.1	19.1	11.9	7.7	1.45	2.65	1.91	1.63	38.30	0.641	0.961	Krāslava, piena pulvera rūpnīca	1967							0.3	5.6	8.5	66.8	8.8	10.4		0.492	26'10"	0.148	1.0-0.644;3.0-1.625	
392 1449-44-10r	2.3-2.4	20.3	24.9	20.3	12.2	1.58	2.68	2.00	1.60	40.40	0.675	0.989	Krāslava, piena pulvera rūpnīca	1967							1.1	6.6	1.1	17.6	14.4		0.457	24'45"	0.153	1.0-0.610;3.0-1.525		
393 3020-9-23	3.0-3.1	34.0	39.2	22.0	17.2	0.64	2.73	1.89	1.42	47.90	0.923	0.977	Brocēni, pasta un ciema padomes ēkas laukums	1978							0.2	0.6	0.6	13.8	14.4	70.4		0.15	8'32"	0.150	1.0-0.300;2.0-0.450	
394 3020-9-23	5.6-5.7	32.2	43.0	23.0	20.0	0.46	2.73	1.89	1.42	47.90	0.923	0.953	Brocēni, pasta un ciema padomes ēkas laukums	1978							0.2	0.8	0.8	11.8	2.8	83.6		0.1	5'42"	0.300	1.0-0.400;0.2-0.500	
395 3020-9-25	5.9-6.0	28.4	35.6	20.0	15.6	0.54	2.72	1.95	1.51	44.40	0.801	0.964	Brocēni, pasta un ciema padomes ēkas laukums	1978						0.2	0.4	2.8	4.8	22.2	10.4	59.2		0.15	8'32"	0.400	1.0-0.550;2.0-0.700	
396 3020-7-35	5.3-5.5	24.0	36.0	20.8	15.2	0.21	2.72	1.98	1.59	41.50	0.711	0.919	Brocēni, pasta un ciema padomes ēkas laukums	1978						0.2	0.4	4.8	8.4	12.6	14.4	59.2		0.2	11'16"	0.200	1.0-0.400;2.0-0.600	
397 3020-16-41	7.9-8.0	16.9	23.3	13.3	10.0	0.36	2.70	2.15	1.84	31.80	0.467	0.976	Brocēni, pasta un ciema padomes ēkas laukums	1978						0.2	0.2	4	20.4	19	10.6	5.6	40	0.175	9'54"	0.425	1.0-0.600	
398 1835-3-42	1.7-1.8	25.2	40.2	23.7	16.5	0.09	2.70	1.93	1.54	42.90	0.753	0.903	Saldus, KAV "Vulkāns" mēbeļu cehs	1971			2	0.6	0.6	2	7	8.2	4.4	9.6	65.6		0.387	21'10"	0.388	1.0-0.775;3.0-1.550		
399 1835-3-43	1.8-1.9	24.5	43.2	24.1	19.1	0.02	2.70	1.93	1.55	42.60	0.742	0.892	Saldus, KAV "Vulkāns" mēbeļu cehs	1971		0.6	0.2	0.6	0.6	1.4	7	7.2	4.2	12.8	65.6		0.375	20'22"	0.400	1.0-0.775;3.0-1.525		
400 1835-3-44	1.9-2.0	25.6	42.2	21.9	20.3	0.18	2.71	1.89	1.49	45.00	0.819	0.847	Saldus, KAV "Vulkāns" mēbeļu cehs	1971													0.375	20'32"	0.425	1.0-0.800;3.0-1.550		
401 1429-8-1a	2.1-2.2	28.9	31.0	18.0	13.0	0.84	2.68	1.92	1.48	44.70	0.811	0.955	Valka, melioratīvas tehnikas apkalpes bāze	1967								0.2	0.4	3.2	61	14.4	20.8		0.375	20'31"	0.200	1.0-0.575;3.0-1.325
402 1429-8-2a	2.1-2.2	29.8	31.0	18.0	13.0	0.91	2.68	1.88	1.44	46.20	0.861	0.927	Valka, melioratīvas tehnikas apkalpes bāze	1967					0.1	0.1	0.4	0.4	2	59	17.2	20.8		0.362	19'55"	0.213	1.0-0.575;3.0-1.300	
403 1429-8-3a	1.1-1.2	19.1	28.0	16.0	12.0	0.26	2.69	2.03	1.70	36.80	0.582	0.882	Valka, melioratīvas tehnikas apkalpes bāze	1967					0.4	0.4	2.4	7.6	10	16.8	24	38.4		0.387	21'10"	0.263	1.0-0.650;3.0-1.425	
404 1429-5-5a	1.2-1.3	24.1	38.0	18.0	20.0	0.31	2.70	1.86	1.49	45.80	0.812	0.801	Valka, melioratīvas tehnikas apkalpes bāze	1967							0.8	1.2	1.6	13.2	25	58.2		0.362	19'55"	0.413	1.0-0.775;3.0-1.475	
405 1429-5-6a	1.2-1.3	26.6	38.0	18.0	18.0	0.48	2.71	1.95	1.54	43.10	0.760	0.949	Valka, melioratīvas tehnikas apkalpes bāze	1967							0.8	1.6	3.6	3.2	10.8	19.6	60.4		0.35	19'20"	0.400	1.0-0.750;3.0-1.450
406 1532-1-1r	1.60-1.70	13.5	15.5	10.8	4.7	0.57	2.67	2.10	1.85	30.70	0.443	0.813	Aizkraukle, tipogrāfija	1968						2.2	3.2	8.6	18.4	23.8	23	4.8	16		0.525	27'40"	0.125	1.0-0.650;3.0-1.700
407 1532-1-2r	1.30-1.40	13.1	16.9	10.3	5.7	0.49	2.68	2.06	1.82	32.00	0.473	0.743	Aizkraukle, tipogrāfija	1968						3.6	4.2	11.6	23.8	16.4	14.8	6.4	19.2		0.437	23'32"	0.188	1.0-0.625;3.0-1.500
408 1388-132-64	1.00-1.10	12.0	17.4	10.9	6.5	0.17	2.71	2.12	1.89	30.30	0.434	0.750	Aizkraukle, VEF katlumāja	1963			5.2	2	6.4	12.4	20.8	16.8	15.6	4.8	16		0.66	33'25"	0.180	1.0-0.840;3.0-2.160		
409 1388-132-65	0.5-0.6	10.4	21.2	12.1	9.1	-0.19	2.70	2.10	1.90	29.60	0.421	0.667	Aizkraukle, VEF katlumāja	1963			3.6	1.6	5.2	11.6	22.4	17.2	16.9	0.8	20.7		0.63	32'13"	0.090	1.0-0.72;3.0-1.98		
410 1388-132-61	2.50-2.60	9.5	16.3	9.8	6.5	-0.05	2.70	2.21	2.02	25.20	0.337	0.762	Aizkraukle, VEF katlumāja	1963			5.2	1.6	4	9.6	21.6	17.2	15.2	4.8	20.8		0.65	33'05"	0.180	1.0-0.830;3.0-2.130		
411 1388-132-63	1.50-1.60	14.3	16.0	9.7	6.3	0.73	2.70	2.20	1.92	28.90	0.406	0.950	Aizkraukle, VEF katlumāja	1963			6.8	1.6	4.4	10.4	20.8	17.6	16.1	4.7	17.6		0.61	31'23"	0.180	1.0-0.790;3.0-2.01		
412 1388-140-195	1.50-1.60	12.2	15.7	10.8	4.9	0.29	2.70	2.19	1.95	27.70	0.385	0.856	Aizkraukle, VEF katlumāja	1963			6.4	1.6	5.2	11.2	21.6	16.4	12	9.6	16		0.66	33'26"	0.230	1.0-0.890;3.0-2.210		
413 1388-140-197	2.50-2.60	12.5	15.1	10.2	4.9	0.47	2.71	2.17	1.93	28.80	0.404	0.838	Aizkraukle, VEF katlumāja	1963			7.2	1.2	5.2	10.4	22.4	16.8										